# Annual Drinking Water Quality Report Brookneal Water Treatment Facility

PWSID # 5031175 2020

### INTRODUCTION

We're very pleased to provide you with the 2020 Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. The quality of your drinking water must meet state and federal requirements administered by the Virginia Department of Health (VDH).

I'm pleased to report that our drinking water is safe and meets federal and state requirements; except as outlined here in.

If you have any questions about this report or concerning your water utility, please contact **J. Michael Crews,** Director of Public Works, at telephone number (434) 376-3124. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Tuesday of each month in the town hall.

## GENERAL INFORMATION

See Attached sheet with 3 paragraphs entitled Educational Info.

The Brookneal Water Treatment Plant routinely monitors for constituents in your drinking water according to Federal and State laws. The water is surface water and comes from the Phelps Creek Reservoir. The water is treated by coagulation, filtration and disinfection. A source water assessment of our system was conducted in 2002 by the Virginia Department of Health. The source was determined to be of high susceptibility to contamination using the criteria developed by the State in its approved Source Water Assessment Program. The assessment report consists of maps showing the source water assessment area, an inventory of known land use activities of concern, and documentation of any known contamination within the last 5 years. The report is available by contacting your water system representative at the phone number given elsewhere in this drinking water quality report. This table shows the results of our monitoring for the period of January 1st to December 31st, 2020. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

## LEAD & COPPER

The lead 90<sup>th</sup> percentile concentration of 0.0013 mg/L is below the action level of 0.015 mg/L. The copper 90<sup>th</sup> percentile concentration of 0.274 mg/L is below the action level of 1.3 mg/L. The waterworks continues to demonstrate optimized control treatment.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking is primarily from materials and components associated with service lines and home plumbing. The Town of Brookneal is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead by flushing your tap for 15 to 30 seconds or until it becomes cold and reaches a steady temperature before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe

Drinking Water Hotline or at http://www.epa.giv/safewater/lead.

## Disinfection By-Products (DBP) Trihalomethane (TTHM) and Haloacetic acid (HAA5).

The town collects TTHM and HAA5 samples from two separate, compliance sample sites. In 2020 there are no TTHM sample results from the compliance sites that exceeded the PMCL of 80ppb for TTHM. None of the LRAA calculations exceeded the PMCL for TTHM of 80ppb. All LRAA calculations for TTHM were less than PMCL. There were no violations of drinking water standard for DBP. Compliance with the MCL is based on a running annual average (4 quarters) of the quarterly samples collected and the water supply did not exceed the drinking water limits on this basis. TTHMs are formed when trace amounts of naturally occurring organic compounds in the raw water source combine with chlorine that is used to disinfect the treated water. All locations do not have the same levels of TTHMs. Higher levels are expected in the areas with highest residence time (generally the furthest points in the system) and during the warmer months or the year. Some people who drink water containing TTHMs in excess of the MCL over many years could experience problems with their liver, kidneys or central nervous system and may have increased risk of cancer. This water system will continue to be monitored for TTHMs. One of the individual HAA5 results and the quarterly running annual average compliance results from the compliance site exceed the PMCL of 60 ppb for HAA5.A Notice of Violation was issued.

## Cryptosporidium

In 2020, The Town of Brookneal completed its required sampling for cryptosporidium in its untreated source water. Four(4) water samples were collected before any treatment had been applied at our water filtration plant. The concentration of cryptosporidium was found to be 0.010 oocyst/L and the current water plant processes were determined to be adequate for the removal of this microbial pathogen. Cryptosporidium is a microbial pathogen found in surface water throughout the US. Ingestion of Cryptosporidium may cause cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can over come the disease within a few weeks. However, immunocompromised people, infants, and small children, and the elderly are at greater risk of developing life-threatening illness. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water. Brookneal utilizes filtration to treat drinking water which removes cryptosporidium, but filtration methods cannot guarantee 100 percent removal. The Town of Brookneal works diligently to optimize the filtration process in order to ensure the greatest cryptosporidium removal.

## Sodium

Though not regulated, The Town of Brookneal test for sodium. The sodium level in Brookneal's finished water was 23.4 ppm for 2020. This is above the EPA recommended optimum level of less than 20 mg/L of sodium in drinking water, which are established by EPA for those individuals on a strict sodium intake diet.

## Notice of Violations- Town of Brookneal

A notice of violation was issues on February 17, 2021 for a failure to collect all Total Organic Carbon samples in October, November, and December 2020.

A notice of violation was issued on June 25, 2020 for failure to collect one of the required bacteriological samples in May 2020.

## **DEFINITIONS**

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Parts per million (PPM) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (PPB.) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

*Picocuries per liter (pCi/L)* - Picocuries per liter is a measure of the radioactivity in water.

Nephelometric Turbidity Unit (NTU) - nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Action Level (AL) - the concentration of a contaminant, which if exceeded, triggers treatment or other requirements which a water system must follow.

*Treatment Technique (TT)* - a treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level Goal or MRDLG-the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Maximum Residual Disinfectant Level or MRDL-the highest level of a disinfectant allowed in drinking water, there is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

TTHM – Total Trihalomethane (TTHM)--compounds formed during disinfection/using chlorine

HAA5 – Haloacetic Acid (HAA5) – compounds formed during disinfection/using chlorine

### WHAT DOES THIS MEAN?

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic
  systems, agricultural livestock operations, and wildlife.
- **Inorganic contaminants**, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- **Pesticides and herbicides**, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of
  industrial processes and petroleum production, and can, also, come from gas stations, urban storm water runoff,
  and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

•

In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water that must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call our office if you have questions.

We at the Brookneal Water Treatment Plant work to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life.

		WATE	R QUALIT	Y RES	ULTS	
			RGANIC CON			
Contaminant/Unit				<b>Violation</b>	Date of	Likely Source of
of Measurement	MCLG	<u>MCL</u>	Level Found	<u>Y/N</u>	<u>Sample</u>	<u>Contamination</u>
Nitrate Nitrite	10	10	0.29 mg/l	No	October 29,2020	Runoff from fertilizer use: Leaching from septic tanks, sewage; Erosion of natural deposits
Barium ppm	2	2	0.029 mg/l	No	29-Oct-20	Erosion of natural deposits, discharge of drilling wastes
MICROBIOLOGICAL CONTAMINANTS						
Contaminant/Unit			Level Found	Violation		<u>Likely Source of</u> Contamination
Fecal Coliform and E.Coli (RTCR)	<b>MCLG</b> 0	a routine sample and a repeat sample are total coliform positive, and one is fecal coliform or	<u>0</u>	<u>Y/N</u> No	Sample N/A	Human and animal feces
Total Coliform Bacteria (TCR)	0	E.Coli 2 positive monthly sample	0 (Range N/A)	No	Monthly	Naturally present in the environment
Turbidity (NTU)	N/A	Max 1.0 at least 95% of samples must be less than 0.3 NTU	0.07 (100% of samples were less than 0.3 NTU)	No	January - December 2020	Soil runoff
Fluoride (ppm)	4	4	None	No		Fluoride not fed since 2018
RADIOLOGICAL CONTAMINANTS						
Contaminant/Unit				Violation	Date of	Likely Source of
of Measurement	MCLG	<u>MCL</u>	Level Found	Y/N	Sample	Contamination
Alpha emitters pCi/L	0	15	0.3	No	12-May-15	Erosion of natural deposits
Combined radium	0	5	0.7	No	12-May-15	Erosion of natural deposits
pCi/L	U	J			12-Iviay-13	E1031011 01 Hatural deposits
LEAD & COPPER  Contaminant/Unit   Level   Violation   Date of   Likely Source of						
of Measurement	MCLG	MCL	Found/Range	Y/N	Sample	Contamination
Copper ppm	1.3	AL=1.3	0.274 (90th percentile) Range less than 0.0055 to 0.274 none of the samples exceeded the AL.	No	Sep-20	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead ppb	0	AL=15	0.0013 (90th percentile) Range ND to 0.0013 of the samples collected none exceeded the AL.	No	Sep-20	Corrosion of household plumbing systems; erosion of natural deposits
Contaminant/Unit		וופוט	Level	Violation	Date of	Likely Source of
of Measurement	MCLG	MCL	Found/Range	Y/N	Sample	Contamination
HAA5s (Total Haloacetic Acids) Ppb (Routine)	N/A	60	Max 4 qtr Avg. 51 (Range 35- 83)	Yes	Four quarter average 2020 (Quarterly)	By-product of drinking water disinfection
TTHMs (Total Trihalomethanes)ppb (Routine)	N/A	80	Max qtr Avg 50 (Range 30- 88)	No	Four quarter average 2020 (Quarterly)	By-product of drinking water disinfection
TOC (Total Organic Carbon) ppm	N/A	TT-TOC removal ratio greater than or equal to 1.00,5 0r- alternate compliance	1.36 lowest ratio (Range 1.36-1.76)	No	Monthly (2020)	Naturally present in the environment
Chlorine ppm	MRDL=4	MRDLG=4	Max 1.97 (Range 0.13- 1.97) avg. 1.13	No	2/ Month	Water additive used to control microbes